





SIT WEDGE - Narrow (RMA) - CW

E  Performance index
 MC  Performance index

3V - 5V - 8V
 3VX - 5VX - 8VX



ENVELOPE



MOULDED COG


SIT - WEDGE belts are manufactured in accordance with American standards **RMA and MPTA**.

SIT - WEDGE belts are available in two different ranges:

- **MC range (Raw Edge and Moulded Cog):** up to 2995 mm length
- **E range (Envelope):** over 2995 mm length

Matchmaker® System

Section	a [mm]	b [mm]
3V	10	8
5V	16	13
8V	25,4	23



Precision Matched

Belt length [mm]	Tolerance [mm]
up to 1399	+/- 2
1400 ÷ 2799	+/- 3
over 2800	+/- 5

APPLICATIONS

Narrow profile belts for compact, high power drives and high shock loading on short centers and small diameters. For designing compact, heavy-duty drives where space limitations is a factor.

- Compressors
- Industrial fans
- Textile machines
- Woodworking machines
- Construction equipment

KEY FEATURES & BENEFITS

- Good oil resistance
- Temperature: -20/+70 °C
- Static conductive (ISO 1813)
- Matchmaker® System
- Guaranteed dimensional stability
- Higher flexibility
- Reinforced tension member

BELT MATERIAL

- Tensile members: High resistance polyester
- Compound: Hyprene



V-BELTS - CW

SIT have a complete stock of pulleys for all belts.

Available sizes

3V	
Part number	Effective length (Le) [mm]
MOULDED COG	
3V250	635
3V265	675
3V280	710
3V300	760
3V315	800
3V335	850
3V355	900
3V375	955
3V400	1015
3V425	1080
3V450	1145
3V475	1205
3V500	1270
3V530	1345
3V560	1420
3V600	1525
3V630	1600
3V670	1700
3V710	1805
3V750	1905
3V800	2030
3V850	2160
3V900	2285
3V950	2415
3V1000	2540
3V1060	2690
3V1120	2845
3V1180	2995
ENVELOPE	
3V1250	3175
3V1320	3355
3V1400	3555
3V1500	3810

5V	
Part number	Effective length (Le) [mm]
MOULDED COG	
5V450	1140
5V470	1194
5V500	1270
5V510	1295
5V530	1345
5V540	1370
5V560	1420
5V570	1450
5V590	1500
5V600	1525
5V610	1550
5V630	1600
5V650	1651
5V660	1675
5V670	1700
5V680	1730
5V690	1750
5V710	1805
5V730	1855
5V740	1880
5V750	1905
5V780	1980
5V800	2030
5V830	2110
5V840	2135
5V850	2160
5V900	2285
5V930	2360
5V950	2415
5V960	2440
5V1000	2540
5V1030	2615
5V1060	2690
5V1080	2740
5V1120	2845
5V1150	2921
5V1180	2995
ENVELOPE	
5V1250	3175
5V1320	3355
5V1400	3555
5V1500	3810
5V1600	4065
5V1700	4320
5V1800	4570
5V1900	4825
5V2000	5080
5V2120	5385
5V2240	5690
5V2360	5995
5V2500	6350
5V2650	6730
5V2800	7110
5V3000	7620
5V3150	8000
5V3350	8515
5V3550	9015

8V	
Part number	Effective length (Le) [mm]
MOULDED COG	
8V1000	2540
8V1120	2845
8V1180	2995
ENVELOPE	
8V1250	3175
8V1320	3355
8V1400	3555
8V1500	3810
8V1600	4065
8V1800	4570
8V1900	4825
8V2000	5080
8V2120	5385
8V2240	5690
8V2360	5995
8V2500	6350
8V2800	7110
8V3000	7620
8V3150	8000
8V3550	9015
8V3750	9550
8V4000	10160
8V5000	12700

Part Number	CW 5V 1000
SIT WEDGE - Narrow	
Section	
Effective length x 10 (inches)	

Power rating

WEDGE 3V (MC)

rpm - faster shaft Pitch Ø [mm]		Rated power [kW]																			
		56	60	63	67	71	75	80	85	90	100	112	118	125	132	140	150	160	180	200	280
100	0,09	0,10	0,12	0,13	0,14	0,16	0,17	0,19	0,21	0,26	0,29	0,31	0,33	0,35	0,38	0,41	0,46	0,49	0,58	0,79	
200	0,16	0,19	0,21	0,24	0,26	0,30	0,32	0,35	0,40	0,49	0,54	0,59	0,63	0,68	0,72	0,79	0,87	0,93	1,10	1,51	
300	0,23	0,27	0,31	0,35	0,38	0,43	0,46	0,51	0,59	0,70	0,79	0,85	0,91	0,98	1,05	1,15	1,26	1,35	1,60	2,19	
400	0,29	0,35	0,40	0,44	0,49	0,55	0,60	0,67	0,76	0,91	1,03	1,10	1,18	1,27	1,37	1,49	1,64	1,76	2,10	2,86	
500	0,36	0,42	0,48	0,54	0,60	0,68	0,74	0,82	0,93	1,11	1,26	1,35	1,45	1,57	1,68	1,82	2,01	2,16	2,57	3,51	
600	0,42	0,49	0,56	0,63	0,70	0,79	0,87	0,96	1,10	1,31	1,49	1,60	1,71	1,85	1,98	2,15	2,38	2,55	3,04	4,14	
700	0,48	0,56	0,64	0,72	0,80	0,91	0,99	1,10	1,26	1,51	1,71	1,84	1,97	2,13	2,28	2,49	2,74	2,94	3,49	4,77	
800	0,53	0,63	0,72	0,81	0,90	1,02	1,12	1,24	1,42	1,70	1,93	2,07	2,22	2,40	2,57	2,80	3,09	3,32	3,94	5,37	
900	0,59	0,69	0,79	0,90	1,00	1,13	1,24	1,38	1,57	1,89	2,14	2,30	2,47	2,66	2,86	3,12	3,43	3,69	4,38	5,96	
1000	0,64	0,75	0,87	0,99	1,10	1,24	1,36	1,51	1,73	2,07	2,35	2,54	2,71	2,93	3,14	3,43	3,78	4,06	4,82	6,55	
1100	0,69	0,82	0,94	1,07	1,19	1,35	1,48	1,64	1,88	2,26	2,56	2,76	2,96	3,19	3,42	3,73	4,11	4,42	5,24	7,12	
1200	0,74	0,88	1,01	1,15	1,28	1,46	1,60	1,77	2,03	2,44	2,77	2,98	3,19	3,45	3,70	4,03	4,44	4,77	5,66	7,67	
1300	0,79	0,94	1,08	1,15	1,38	1,57	1,71	1,90	2,18	2,62	2,97	3,20	3,43	3,70	3,97	4,33	4,77	5,13	6,07	8,21	
1400	0,84	1,00	1,15	1,31	1,46	1,67	1,82	2,02	2,33	2,79	3,18	3,42	3,66	3,95	4,24	4,63	5,10	5,46	6,47	8,74	
1500	0,89	1,06	1,22	1,39	1,55	1,77	1,93	2,15	2,47	2,97	3,38	3,63	3,89	4,20	4,51	4,91	5,41	5,80	6,87	9,24	
1600	0,93	1,12	1,29	1,46	1,64	1,88	2,04	2,27	2,62	3,15	3,57	3,85	4,12	4,44	4,77	5,19	5,72	6,14	7,26	9,74	
1700	0,99	1,17	1,36	1,54	1,73	1,97	2,15	2,40	2,76	3,32	3,77	4,05	4,34	4,68	5,02	5,48	6,03	6,46	7,64	10,22	
1800	1,03	1,23	1,43	1,62	1,82	2,07	2,27	2,52	2,90	3,49	3,96	4,26	4,57	4,93	5,28	5,75	6,33	6,79	8,01	10,69	
1900	1,07	1,28	1,49	1,69	1,90	2,17	2,37	2,64	3,04	3,65	4,15	4,46	4,78	5,16	5,53	6,02	6,63	7,10	8,38	11,13	
2000	1,12	1,34	1,55	1,76	1,99	2,27	2,48	2,76	3,18	3,82	4,33	4,66	4,99	5,39	5,78	6,29	6,92	7,41	8,73	11,56	
2100	1,16	1,39	1,62	1,84	2,07	2,36	2,58	2,88	3,31	3,98	4,52	4,86	5,21	5,62	6,02	6,55	7,21	7,71	9,07	11,97	
2200	1,21	1,44	1,68	1,91	2,15	2,46	2,68	2,99	3,44	4,14	4,70	5,06	5,42	5,84	6,26	6,81	7,49	8,02	9,41	12,36	
2300	1,25	1,49	1,74	1,99	2,23	2,55	2,79	3,10	3,57	4,30	4,88	5,25	5,63	6,07	6,50	7,07	7,77	8,30	9,74	12,73	
2400	1,29	1,54	1,80	2,06	2,31	2,64	2,89	3,22	3,71	4,46	5,06	5,44	5,82	6,28	6,73	7,32	8,03	8,59	10,06	13,08	
2500	1,33	1,60	1,86	2,13	2,39	2,74	2,99	3,33	3,84	4,62	5,24	5,63	6,03	6,49	6,96	7,56	8,30	8,87	10,37	13,41	
2600	1,38	1,65	1,92	2,19	2,46	2,82	3,09	3,44	3,96	4,77	5,41	5,82	6,23	6,71	7,18	7,80	8,55	9,14	10,66	13,72	
2700	1,41	1,70	1,98	2,27	2,54	2,91	3,18	3,55	4,09	4,92	5,57	6,00	6,42	6,91	7,41	8,04	8,81	9,41	10,96	14,00	
2800	1,45	1,74	2,04	2,33	2,62	3,00	3,29	3,66	4,21	5,07	5,74	6,18	6,61	7,12	7,62	8,27	9,05	9,66	11,23	14,26	
2900	1,49	1,79	2,10	2,40	2,69	3,09	3,38	3,77	4,34	5,21	5,91	6,36	6,80	7,32	7,83	8,49	9,30	9,91	11,50	14,50	
3000	1,53	1,84	2,15	2,46	2,77	3,17	3,47	3,87	4,46	5,36	6,07	6,53	6,99	7,52	8,04	8,71	0,42	10,16	11,75	15,06	
3100	1,60	1,93	2,27	2,59	2,91	3,34	3,66	4,08	4,70	5,65	6,39	6,87	7,35	7,90	8,44	9,14	9,98	10,62	12,23	15,06	
3200	1,68	2,02	2,38	2,71	3,06	3,51	3,84	4,28	4,93	5,92	6,70	7,20	7,69	8,27	8,82	9,54	10,40	11,05	12,66	15,30	
3300	1,74	2,11	2,48	2,84	3,20	3,67	4,02	4,48	5,16	6,19	7,00	7,52	8,02	8,61	9,19	9,92	10,79	11,44	13,04	15,43	
3400	1,82	2,20	2,58	2,96	3,33	3,82	4,19	4,67	5,38	6,45	7,29	7,82	8,34	8,94	9,53	10,27	11,16	11,80	13,36	-	
3500	1,88	2,28	2,68	3,07	3,46	3,98	4,35	4,85	5,59	6,70	7,56	8,11	8,64	9,26	9,85	10,60	11,49	12,13	13,63	-	
3600	1,94	2,36	2,78	3,18	3,60	4,13	4,52	5,04	5,79	6,94	7,82	8,38	8,93	9,55	10,16	10,91	11,78	12,42	13,84	-	
3700	2,01	2,44	2,88	3,29	3,72	4,27	4,68	5,21	5,99	7,17	8,07	8,65	9,20	9,83	10,44	11,19	12,05	12,66	13,99	-	
3800	2,07	2,52	2,96	3,40	3,84	4,41	4,83	5,38	6,18	7,39	8,32	8,90	9,45	10,09	10,69	11,44	12,28	12,87	14,08	-	
3900	2,13	2,59	3,05	3,51	3,96	4,54	4,98	5,54	6,37	7,60	8,54	9,13	9,69	10,33	10,93	11,66	12,48	13,03	14,10	-	
4000	2,18	2,66	3,14	3,60	4,07	4,68	5,12	5,70	6,55	7,80	8,75	9,35	9,91	10,55	11,14	11,86	12,63	13,16	-	-	
4100	2,23	2,73	3,22	3,71	4,18	4,80	5,26	5,85	6,71	7,99	8,95	9,55	10,11	10,74	11,33	12,02	12,76	13,23	-	-	
4200	2,28	2,79	3,30	3,79	4,29	4,92	5,39	5,99	6,88	8,17	9,14	9,73	10,29	10,91	11,49	12,15	12,83	13,25	-	-	
4300	2,33	2,86	3,38	3,88	4,38	5,04	5,52	6,13	7,03	8,34	9,31	9,90	10,46	11,07	11,61	12,25	12,88	-	-	-	
4400	2,38	2,92	3,45	3,97	4,49	5,15	5,63	6,27	7,18	8,49	9,46	10,05	10,60	11,19	11,72	12,31	12,87	-	-	-	
4500	2,42	2,98	3,52	4,05	4,57	5,26	5,75	6,39	7,31	8,64	9,60	10,19	10,71	11,30	11,80	12,34	-	-	-	-	
4600	2,46	3,03	3,59	4,13	4,66	5,35	5,86	6,51	7,43	8,77	9,73	10,30	10,82	11,37	11,84	12,33	-	-	-	-	
4700	2,50	3,08	3,65	4,21	4,75	5,45	5,96	6,62	7,55	8,89	9,84	10,40	10,90	11,42	11,85	12,29	-	-	-	-	
4800	2,54	3,13	3,71	4,28	4,83	5,54	6,06	6,72	7,66	8,99	9,93	10,47	10,95	11,44	11,84	-	-	-	-	-	
4900	2,57	3,18	3,77	4,35	4,91	5,63	6,15	6,82	7,77	9,09	10,00	10,53	10,99	11,44	11,80	-	-	-	-	-	
5000	2,60	3,22	3,82	4,41	4,98	5,71	6,24	6,91	7,85	9,16	10,06	10,57	10,99	11,41	-	-	-	-	-	-	

Additional power based on drive ratio

WEDGE 3V (MC)

		Additional power [kW]									
rpm - faster shaft	Drive ratio	1.00	1.02	1.06	1.12	1.19	1.27	1.39	1.58	1.95	oltre
		1.01	1.05	1.11	1.18	1.26	1.38	1.57	1.94	3.38	3.39
100		0,00	0,00	0,00	0,01	0,01	0,01	0,01	0,01	0,01	0,01
200		0,00	0,00	0,01	0,01	0,01	0,01	0,02	0,02	0,02	0,02
300		0,00	0,00	0,01	0,01	0,02	0,02	0,03	0,04	0,04	0,04
400		0,00	0,01	0,01	0,02	0,03	0,04	0,04	0,04	0,05	0,05
500		0,00	0,01	0,01	0,02	0,04	0,04	0,05	0,06	0,06	0,07
600		0,00	0,01	0,01	0,03	0,04	0,05	0,06	0,07	0,07	0,07
700		0,00	0,01	0,02	0,04	0,05	0,06	0,07	0,08	0,08	0,09
800		0,00	0,01	0,02	0,04	0,06	0,07	0,08	0,09	0,10	0,10
900		0,00	0,01	0,03	0,04	0,06	0,07	0,09	0,10	0,11	0,12
1000		0,00	0,01	0,03	0,05	0,07	0,08	0,10	0,11	0,12	0,13
1100		0,00	0,01	0,03	0,06	0,07	0,10	0,11	0,13	0,13	0,14
1200		0,00	0,01	0,04	0,06	0,08	0,10	0,12	0,13	0,15	0,15
1300		0,00	0,01	0,04	0,07	0,09	0,11	0,13	0,15	0,15	0,17
1400		0,00	0,01	0,04	0,07	0,10	0,12	0,14	0,15	0,17	0,18
1500		0,00	0,01	0,04	0,07	0,10	0,13	0,15	0,17	0,18	0,19
1600		0,00	0,01	0,04	0,08	0,11	0,13	0,15	0,18	0,19	0,21
1700		0,00	0,01	0,05	0,09	0,12	0,14	0,17	0,19	0,21	0,21
1800		0,00	0,02	0,05	0,09	0,13	0,15	0,18	0,20	0,21	0,23
1900		0,00	0,02	0,06	0,10	0,13	0,16	0,18	0,21	0,23	0,24
2000		0,00	0,02	0,06	0,10	0,14	0,17	0,20	0,22	0,24	0,26
2100		0,00	0,02	0,06	0,10	0,15	0,18	0,21	0,24	0,25	0,26
2200		0,00	0,02	0,07	0,11	0,15	0,18	0,21	0,24	0,26	0,28
2300		0,00	0,02	0,07	0,12	0,16	0,19	0,23	0,26	0,28	0,29
2400		0,00	0,02	0,07	0,13	0,17	0,20	0,24	0,26	0,29	0,31
2500		0,00	0,03	0,07	0,13	0,17	0,21	0,24	0,28	0,30	0,32
2600		0,00	0,03	0,07	0,13	0,18	0,22	0,26	0,29	0,32	0,33
2700		0,00	0,03	0,08	0,14	0,18	0,23	0,26	0,30	0,32	0,35
2800		0,00	0,03	0,08	0,14	0,19	0,24	0,27	0,31	0,34	0,36
2900		0,00	0,03	0,08	0,15	0,20	0,24	0,29	0,32	0,35	0,37
3000		0,00	0,03	0,09	0,15	0,21	0,25	0,29	0,33	0,36	0,38
3200		0,00	0,04	0,10	0,16	0,22	0,26	0,32	0,35	0,38	0,41
3400		0,00	0,04	0,10	0,17	0,24	0,29	0,33	0,38	0,41	0,43
3600		0,00	0,04	0,10	0,18	0,25	0,30	0,35	0,40	0,43	0,46
3800		0,00	0,04	0,11	0,19	0,26	0,32	0,38	0,42	0,46	0,49
4000		0,00	0,04	0,12	0,21	0,28	0,34	0,39	0,44	0,48	0,51
4200		0,00	0,04	0,13	0,21	0,29	0,35	0,41	0,46	0,51	0,54
4400		0,00	0,04	0,13	0,22	0,30	0,37	0,43	0,49	0,53	0,56
4600		0,00	0,05	0,13	0,24	0,32	0,38	0,45	0,51	0,55	0,59
4800		0,00	0,05	0,14	0,24	0,33	0,40	0,47	0,53	0,58	0,61
5000		0,00	0,05	0,15	0,26	0,35	0,42	0,49	0,55	0,60	0,64
5200		0,00	0,06	0,15	0,26	0,36	0,43	0,51	0,57	0,63	0,66
5400		0,00	0,06	0,15	0,27	0,38	0,46	0,53	0,60	0,65	0,69
5600		0,00	0,06	0,16	0,29	0,39	0,47	0,55	0,62	0,68	0,71
5800		0,00	0,06	0,17	0,29	0,40	0,49	0,57	0,64	0,70	0,74
6000		0,00	0,07	0,18	0,30	0,41	0,50	0,59	0,66	0,72	0,76
6200		0,00	0,07	0,18	0,32	0,43	0,52	0,61	0,68	0,75	0,79
6400		0,00	0,07	0,18	0,32	0,44	0,54	0,63	0,71	0,77	0,82
6600		0,00	0,07	0,19	0,34	0,46	0,55	0,65	0,73	0,79	0,85
6800		0,00	0,07	0,20	0,35	0,47	0,57	0,67	0,75	0,82	0,87
7000		0,00	0,07	0,21	0,35	0,49	0,59	0,68	0,77	0,85	0,89

Power rating

WEDGE 3V (E)

Rated power [kW]																					
rpm - faster shaft	Pitch Ø [mm]	56	60	63	67	71	75	80	85	90	100	112	118	125	132	140	150	160	180	200	280
		100	0,07	0,08	0,10	0,11	0,13	13,97	0,15	0,17	0,20	0,24	0,27	0,29	0,32	0,35	0,37	0,40	0,45	0,48	0,57
200	0,12	0,15	0,18	0,20	0,23	0,26	0,29	0,32	0,37	0,45	0,51	0,55	0,60	0,65	0,70	0,76	0,85	0,90	1,09	1,50	
300	0,17	0,21	0,24	0,28	0,32	0,37	0,40	0,46	0,53	0,65	0,74	0,80	0,86	0,93	1,01	1,10	1,22	1,32	1,57	2,17	
400	0,21	0,26	0,31	0,36	0,40	0,47	0,52	0,59	0,68	0,84	0,96	1,04	1,12	1,21	1,30	1,43	1,58	1,71	2,04	2,82	
500	0,25	0,31	0,37	0,43	0,49	0,57	0,63	0,71	0,83	1,01	1,17	1,26	1,36	1,48	1,60	1,74	1,93	2,09	2,50	3,45	
600	0,28	0,35	0,43	0,50	0,57	0,67	0,74	0,84	0,98	1,20	1,38	1,49	1,60	1,74	1,88	2,06	2,28	2,46	2,95	4,07	
700	0,32	0,40	0,49	0,57	0,65	0,76	0,85	0,96	1,12	1,37	1,57	1,71	1,84	1,99	2,15	2,36	2,62	2,82	3,38	4,66	
800	0,35	0,44	0,54	0,63	0,73	0,85	0,95	1,07	1,25	1,54	1,77	1,92	2,07	2,24	2,43	2,65	2,95	3,18	3,81	5,24	
900	0,38	0,49	0,59	0,70	0,80	0,94	1,04	1,18	1,39	1,71	1,96	2,13	2,29	2,49	2,69	2,95	3,27	3,53	4,22	5,81	
1000	0,41	0,53	0,64	0,76	0,88	1,03	1,14	1,29	1,52	1,87	2,15	2,33	2,52	2,74	2,95	3,24	3,59	3,87	4,63	6,36	
1100	0,43	0,57	0,69	0,82	0,94	1,11	1,24	1,40	1,65	2,03	2,34	2,54	2,74	2,97	3,21	3,52	3,90	4,21	5,03	6,89	
1200	0,46	0,60	0,74	0,88	1,01	1,19	1,33	1,51	1,77	2,19	2,52	2,74	2,95	3,21	3,46	3,79	4,21	4,54	5,42	7,41	
1300	0,49	0,64	0,79	0,93	1,08	1,27	1,42	1,61	1,90	2,35	2,70	2,93	3,16	3,43	3,71	4,07	4,51	4,86	5,80	7,91	
1400	0,51	0,67	0,83	0,99	1,15	1,35	1,51	1,71	2,02	2,49	2,88	3,13	3,37	3,66	3,95	4,33	4,80	5,17	6,17	8,38	
1500	0,54	0,71	0,88	1,04	1,21	1,43	1,60	1,82	2,14	2,65	3,05	3,31	3,57	3,88	4,18	4,59	5,09	5,48	6,53	8,84	
1600	0,56	0,74	0,92	1,10	1,27	1,51	1,68	1,92	2,26	2,79	3,22	3,49	3,77	4,10	4,42	4,85	5,37	5,78	6,88	9,28	
1700	0,58	0,77	0,96	1,15	1,34	1,58	1,77	2,01	2,38	2,94	3,39	3,68	3,97	4,31	4,65	5,10	5,65	6,07	7,22	9,70	
1800	0,60	0,80	1,00	1,20	1,40	1,65	1,85	2,11	2,49	3,08	3,55	3,86	4,16	4,52	4,88	5,34	5,91	6,36	7,55	10,10	
1900	0,62	0,83	1,04	1,25	1,46	1,73	1,93	2,21	2,60	3,22	3,71	4,04	4,35	4,73	5,10	5,58	6,18	6,64	7,88	10,47	
2000	0,64	0,86	1,08	1,30	1,51	1,80	2,01	2,29	2,71	3,36	3,88	4,21	4,54	4,93	5,31	5,82	6,43	6,91	8,19	10,83	
2100	0,66	0,89	1,12	1,35	1,57	1,87	2,10	2,39	2,82	3,50	4,03	4,38	4,72	5,13	5,52	6,04	6,68	7,18	8,48	11,15	
2200	0,68	0,92	1,15	1,39	1,63	1,94	2,17	2,48	2,93	3,63	4,18	4,54	4,90	5,32	5,73	6,27	6,93	7,43	8,77	11,45	
2300	0,69	0,94	1,19	1,44	1,68	2,01	2,24	2,57	3,04	3,76	4,33	4,71	5,07	5,51	5,93	6,49	7,16	7,68	9,04	11,72	
2400	0,71	0,97	1,23	1,49	1,74	2,07	2,32	2,65	3,14	3,89	4,49	4,87	5,24	5,69	6,13	6,70	7,39	7,92	9,30	11,97	
2500	0,72	0,99	1,26	1,52	1,79	2,14	2,40	2,74	3,24	4,02	4,63	5,02	5,41	5,87	6,32	6,91	7,61	8,16	9,55	12,19	
2600	0,74	1,01	1,29	1,57	1,84	2,20	2,46	2,82	3,34	4,14	4,77	5,18	5,57	6,04	6,51	7,10	7,82	8,38	9,79	12,38	
2700	0,75	1,04	1,32	1,61	1,89	2,27	2,54	2,90	3,44	4,26	4,91	5,32	5,74	6,21	6,68	7,30	8,03	8,59	10,01	12,55	
2800	0,76	1,07	1,36	1,65	1,94	2,32	2,60	2,98	3,54	4,38	5,04	5,47	5,89	6,38	6,86	7,48	8,22	8,80	10,21	12,67	
2900	0,78	1,09	1,39	1,69	1,99	2,38	2,68	3,06	3,63	4,49	5,18	5,61	6,04	6,55	7,03	7,66	8,41	8,99	10,41	12,77	
3000	0,79	1,10	1,42	1,73	2,04	2,44	2,74	3,13	3,72	4,61	5,30	5,75	6,19	6,70	7,20	7,84	8,60	9,17	10,58	12,83	
3100	0,81	1,15	1,48	1,80	2,13	2,55	2,87	3,29	3,90	4,83	5,55	6,02	6,47	7,00	7,51	8,16	8,94	9,51	10,89	12,85	
3200	0,83	1,18	1,53	1,88	2,21	2,66	2,99	3,43	4,07	5,04	5,79	6,27	6,74	7,27	7,80	8,46	9,23	9,80	11,14	12,74	
3300	0,85	1,21	1,58	1,94	2,29	2,77	3,11	3,57	4,23	5,24	6,01	6,50	6,98	7,53	8,06	8,73	9,49	10,05	11,32	12,46	
3400	0,86	1,25	1,63	2,00	2,38	2,86	3,22	3,69	4,38	5,42	6,22	6,72	7,21	7,77	8,30	8,96	9,71	10,26	11,43	-	
3500	0,88	1,27	1,67	2,06	2,45	2,96	3,32	3,82	4,53	5,60	6,41	6,92	7,41	7,98	8,51	9,16	9,90	10,41	11,46	-	
3600	0,88	1,30	1,71	2,12	2,52	3,04	3,43	3,93	4,66	5,76	6,59	7,10	7,60	8,16	8,69	9,33	10,04	10,52	11,41	-	
3700	0,89	1,32	1,75	2,17	2,58	3,12	3,52	4,04	4,79	5,91	6,75	7,27	7,77	8,32	8,85	9,46	10,13	10,52	11,29	-	
3800	0,89	1,34	1,78	2,21	2,64	3,20	3,60	4,14	4,91	6,04	6,89	7,41	7,91	8,46	8,96	9,57	10,19	10,57	11,08	-	
3900	0,89	1,35	1,81	2,26	2,69	3,27	3,68	4,23	5,02	6,16	7,02	7,54	8,03	8,57	9,06	9,62	10,19	10,51	10,77	-	
4000	0,89	1,37	1,83	2,29	2,74	3,33	3,76	4,32	5,11	6,27	7,13	7,65	8,13	8,65	9,12	9,64	10,13	10,38	-	-	
4100	0,88	1,38	1,85	2,32	2,79	3,39	3,82	4,39	5,20	6,37	7,22	7,72	8,20	8,70	9,14	9,62	10,03	10,20	-	-	
4200	0,88	1,38	1,88	2,35	2,83	3,44	3,88	4,46	5,28	6,45	7,30	7,80	8,24	8,72	9,13	9,55	9,88	9,96	-	-	
4300	0,86	1,38	1,88	2,38	2,86	3,49	3,94	4,52	5,35	6,52	7,35	7,83	8,27	8,71	9,08	9,44	9,66	-	-	-	
4400	0,85	1,38	1,90	2,40	2,89	3,52	3,99	4,57	5,41	6,57	7,38	7,85	8,26	8,68	9,00	9,29	9,39	-	-	-	
4500	0,83	1,38	1,90	2,41	2,91	3,56	4,02	4,61	5,45	6,60	7,40	7,85	8,23	8,60	8,88	9,09	-	-	-	-	
4600	0,82	1,37	1,90	2,43	2,93	3,58	4,05	4,65	5,48	6,62	7,40	7,81	8,17	8,50	8,72	8,84	-	-	-	-	
4700	0,79	1,35	1,90	2,43	2,94	3,60	4,07	4,67	5,50	6,63	7,36	7,76	8,07	8,35	8,52	8,54	-	-	-	-	
4800	0,76	1,34	1,89	2,43	2,95	3,61	4,09	4,68	5,51	6,60	7,31	7,67	7,96	8,18	8,27	-	-	-	-	-	
4900	0,74	1,32	1,88	2,43	2,95	3,62	4,10	4,69	5,51	6,57	7,24	7,57	7,80	7,96	7,99	-	-	-	-	-	
5000	0,71	1,29	1,87	2,42	2,95	3,62	4,09	4,68	5,49	6,52	7,14	7,43	7,62	7,71	-	-	-	-	-	-	

V-BELTS - CW

Additional power based on drive ratio

WEDGE 3V (E)

		Additional power [kW]									
rpm - faster shaft	Drive ratio	1.00	1.02	1.06	1.12	1.19	1.27	1.39	1.58	1.95	oltre
		1.01	1.05	1.11	1.18	1.26	1.38	1.57	1.94	3.38	3.39
100		0,00	0,00	0,00	0,01	0,01	0,01	0,01	0,01	0,01	0,01
200		0,00	0,00	0,01	0,01	0,01	0,02	0,02	0,03	0,03	0,03
300		0,00	0,01	0,01	0,02	0,03	0,03	0,04	0,04	0,04	0,04
400		0,00	0,01	0,01	0,02	0,04	0,04	0,05	0,05	0,06	0,07
500		0,00	0,01	0,01	0,03	0,04	0,05	0,06	0,07	0,07	0,08
600		0,00	0,01	0,02	0,04	0,05	0,07	0,07	0,08	0,09	0,10
700		0,00	0,01	0,02	0,04	0,06	0,07	0,09	0,10	0,10	0,11
800		0,00	0,01	0,03	0,05	0,07	0,08	0,10	0,11	0,12	0,13
900		0,00	0,01	0,03	0,06	0,08	0,10	0,11	0,13	0,13	0,14
1000		0,00	0,01	0,04	0,07	0,09	0,10	0,13	0,14	0,15	0,16
1100		0,00	0,01	0,04	0,07	0,10	0,12	0,13	0,15	0,16	0,18
1200		0,00	0,01	0,04	0,07	0,10	0,13	0,15	0,16	0,18	0,19
1300		0,00	0,01	0,04	0,08	0,11	0,13	0,16	0,18	0,19	0,21
1400		0,00	0,02	0,05	0,09	0,12	0,15	0,17	0,19	0,21	0,21
1500		0,00	0,02	0,05	0,10	0,13	0,15	0,18	0,21	0,23	0,24
1600		0,00	0,02	0,06	0,10	0,14	0,17	0,20	0,22	0,24	0,26
1700		0,00	0,02	0,06	0,11	0,15	0,18	0,21	0,24	0,26	0,27
1800		0,00	0,02	0,07	0,11	0,15	0,19	0,22	0,25	0,27	0,29
1900		0,00	0,02	0,07	0,12	0,16	0,20	0,24	0,26	0,29	0,30
2000		0,00	0,03	0,07	0,13	0,17	0,21	0,24	0,27	0,30	0,32
2100		0,00	0,03	0,07	0,13	0,18	0,22	0,26	0,29	0,32	0,33
2200		0,00	0,03	0,08	0,14	0,19	0,23	0,27	0,30	0,33	0,35
2300		0,00	0,03	0,08	0,15	0,20	0,24	0,28	0,32	0,35	0,37
2400		0,00	0,03	0,09	0,15	0,21	0,25	0,29	0,33	0,36	0,38
2500		0,00	0,04	0,09	0,15	0,21	0,26	0,31	0,35	0,38	0,40
2600		0,00	0,04	0,10	0,16	0,22	0,13	0,32	0,36	0,39	0,41
2700		0,00	0,04	0,10	0,17	0,24	0,28	0,33	0,38	0,40	0,43
2800		0,00	0,04	0,10	0,18	0,24	0,29	0,35	0,38	0,42	0,44
2900		0,00	0,04	0,10	0,18	0,25	0,30	0,35	0,40	0,43	0,46
3000		0,00	0,04	0,11	0,19	0,26	0,32	0,37	0,41	0,45	0,48
3200		0,00	0,04	0,12	0,20	0,27	0,33	0,39	0,44	0,48	0,51
3400		0,00	0,04	0,13	0,21	0,29	0,35	0,41	0,47	0,51	0,24
3600		0,00	0,05	0,13	0,23	0,31	0,38	0,44	0,49	0,54	0,57
3800		0,00	0,05	0,14	0,24	0,32	0,40	0,46	0,52	0,57	0,60
4000		0,00	0,05	0,15	0,25	0,35	0,42	0,49	0,55	0,60	0,63
4200		0,00	0,06	0,15	0,26	0,36	0,44	0,51	0,58	0,63	0,67
4400		0,00	0,06	0,16	0,28	0,38	0,46	0,54	0,60	0,66	0,70
4600		0,00	0,06	0,17	0,29	0,40	0,48	0,56	0,63	0,69	0,73
4800		0,00	0,07	0,18	0,30	0,41	0,50	0,59	0,66	0,72	0,76
5000		0,00	0,07	0,18	0,32	0,43	0,52	0,61	0,69	0,75	0,79
5200		0,00	0,07	0,19	0,33	0,45	0,54	0,63	0,71	0,78	0,82
5400		0,00	0,07	0,20	0,34	0,46	0,57	0,66	0,74	0,81	0,86
5600		0,00	0,07	0,21	0,35	0,49	0,59	0,68	0,77	0,84	0,89
5800		0,00	0,08	0,21	0,37	0,50	0,60	0,71	0,79	0,87	0,92
6000		0,00	0,08	0,22	0,38	0,51	0,63	0,74	0,82	0,90	0,96
6200		0,00	0,08	0,23	0,39	0,54	0,65	0,76	0,85	0,93	0,99
6400		0,00	0,09	0,24	0,40	0,55	0,67	0,78	0,88	0,96	1,01
6600		0,00	0,09	0,24	0,42	0,57	0,69	0,81	0,90	0,99	1,05
6800		0,00	0,09	0,25	0,43	0,59	0,71	0,83	0,93	1,02	1,08
7000		0,00	0,10	0,26	0,44	0,60	0,73	0,85	0,96	1,05	1,11

Power rating

WEDGE 5V (MC)

Rated power [kW]																							
rpm - faster shaft Pitch Ø [mm]	112	118	125	132	140	150	160	170	180	200	212	224	236	250	260	280	290	300	315	335	355	380	400
	100	0,52	0,58	0,64	0,71	0,79	0,88	0,98	1,07	1,16	1,38	1,49	1,60	1,66	1,78	1,90	2,04	2,13	2,24	2,40	2,56	2,74	2,96
200	0,96	1,08	1,19	1,33	1,47	1,65	1,83	2,01	2,19	2,60	2,82	3,04	3,15	3,37	3,61	3,87	4,04	4,27	4,57	4,87	5,21	5,64	6,07
300	1,37	1,54	1,71	1,91	2,11	2,38	2,64	2,90	3,17	3,76	4,08	4,41	4,57	4,88	5,24	5,62	5,88	6,19	6,63	7,07	7,57	8,19	8,81
400	1,76	1,98	2,20	2,46	2,73	3,07	3,42	3,77	4,11	4,88	5,30	5,72	5,93	6,35	6,81	7,31	7,64	8,05	8,63	9,20	9,85	10,66	11,46
500	2,13	2,40	2,68	3,00	3,32	3,75	4,18	4,60	5,02	5,97	6,49	7,01	7,27	7,78	8,35	8,96	9,36	9,87	10,58	11,27	12,07	13,06	14,04
600	2,49	2,82	3,13	3,52	3,90	4,41	4,91	5,42	5,92	7,03	7,65	8,26	8,57	9,18	9,84	10,56	11,04	11,63	12,47	13,29	14,22	15,38	16,53
700	2,84	3,21	3,58	4,03	4,47	5,05	5,63	6,21	6,79	8,07	8,78	9,49	9,84	10,54	11,30	12,13	12,68	13,36	14,31	15,25	16,33	17,65	18,95
800	3,18	3,60	4,02	4,52	5,02	5,68	6,34	6,99	7,65	9,10	9,90	10,69	11,08	11,87	12,73	13,66	14,28	15,05	16,11	17,16	18,36	19,84	21,30
900	3,52	3,98	4,45	5,01	5,57	6,30	7,03	7,76	8,49	10,10	10,99	11,87	12,30	13,18	14,13	15,16	15,84	16,69	17,86	19,03	20,34	21,97	23,56
1000	3,84	4,35	4,87	5,49	6,10	6,91	7,71	8,51	9,31	11,08	12,05	13,02	13,50	14,46	15,49	16,62	17,37	18,29	19,57	20,84	22,27	24,02	25,75
1100	4,16	4,71	5,28	5,95	6,62	7,50	8,38	9,25	10,12	12,05	13,10	14,15	14,67	15,70	16,83	18,05	18,86	19,85	21,23	22,59	24,12	26,00	27,83
1200	4,46	5,07	5,68	6,41	7,13	8,08	9,03	9,97	10,91	12,99	14,13	15,25	15,81	16,93	18,13	19,44	20,30	21,37	22,84	24,29	25,92	27,91	29,84
1300	4,77	5,42	6,07	6,85	7,63	8,66	9,68	10,69	11,69	13,91	15,13	16,33	16,94	18,12	19,41	20,80	21,71	22,84	24,40	25,93	27,64	29,73	31,75
1400	5,06	5,77	6,46	7,30	8,13	9,22	10,30	11,38	12,45	14,82	16,11	17,39	18,02	19,28	20,65	22,11	23,08	24,27	25,91	27,51	29,30	31,47	33,56
1500	5,35	6,10	6,84	7,73	8,61	9,77	10,93	12,07	13,20	15,71	17,08	18,43	19,09	20,41	21,86	23,39	24,40	25,65	27,36	29,03	30,88	33,12	35,26
1600	5,63	6,43	7,21	8,16	9,08	10,32	11,53	12,74	13,94	16,58	18,02	19,44	20,14	21,53	23,03	24,63	25,68	26,97	28,75	30,47	32,38	34,67	36,84
1700	5,91	6,75	7,58	8,57	9,55	10,85	12,13	13,40	14,66	17,42	18,93	20,41	21,15	22,59	24,16	25,83	24,85	28,25	30,09	31,86	33,81	36,13	38,31
1800	6,19	7,07	7,94	8,98	10,01	11,37	12,72	14,05	15,36	18,25	19,83	21,37	22,13	23,64	25,25	26,98	28,11	29,48	31,36	33,16	35,14	37,48	39,67
1900	6,46	7,38	8,30	9,38	10,46	11,88	13,29	14,68	16,05	19,06	20,69	22,30	23,08	24,64	26,31	28,08	29,24	30,65	32,56	34,39	36,39	38,73	40,89
2000	6,72	7,68	8,63	9,77	10,90	12,38	13,85	15,30	16,72	19,85	21,54	23,19	24,01	25,61	27,33	29,15	30,33	31,76	33,70	35,55	37,55	39,87	41,98
2100	6,97	7,98	8,97	10,16	11,33	12,88	14,40	15,90	17,38	20,62	22,36	24,07	24,91	26,55	28,31	30,16	31,36	32,81	34,77	36,62	38,61	41,11	42,92
2200	7,23	8,27	9,31	10,54	11,76	13,36	14,94	16,50	18,02	21,36	23,16	24,91	25,77	27,45	29,24	31,12	32,34	33,81	35,77	37,61	39,57	41,79	43,72
2300	7,47	8,56	9,63	10,91	12,17	13,83	15,47	17,07	18,64	22,08	23,93	25,72	26,60	28,31	30,13	32,04	33,26	34,73	36,69	38,51	40,42	42,55	44,37
2400	7,71	8,83	9,95	11,27	12,58	14,29	15,97	17,63	19,25	22,78	24,67	26,50	27,39	29,14	30,98	32,89	34,12	35,59	37,53	39,32	44,05	43,19	44,86
2500	7,95	9,11	10,26	11,63	12,97	14,74	16,47	18,18	19,84	23,46	25,39	27,25	28,15	29,92	31,78	33,70	34,92	36,39	38,29	40,04	41,81	43,70	-
2600	8,18	9,38	10,56	11,97	13,35	15,18	16,96	18,71	20,41	24,11	26,07	27,96	28,88	30,66	32,53	34,45	35,67	37,11	38,98	40,65	42,34	-	-
2700	8,40	9,63	10,86	12,31	13,74	15,61	17,44	19,22	20,97	24,74	26,73	28,64	29,56	31,36	33,23	35,14	36,34	37,76	39,56	41,18	42,74	-	-
2800	8,62	9,89	11,15	12,63	14,10	16,02	17,89	19,72	21,51	25,34	27,36	29,28	30,22	32,01	33,87	35,77	36,95	38,33	40,07	41,59	-	-	-
2900	8,82	10,13	11,43	12,96	14,46	16,42	18,34	20,21	22,03	25,92	27,95	29,89	30,83	32,62	34,47	36,34	37,49	38,82	40,48	41,89	-	-	-
3000	9,03	10,38	11,70	13,27	14,81	16,82	18,77	20,68	22,53	26,47	28,52	30,47	31,40	33,18	35,01	36,84	37,96	39,24	40,80	-	-	-	-
3100	9,24	10,61	11,97	13,58	15,15	17,19	19,19	21,13	23,00	26,98	29,05	31,00	31,93	33,70	35,50	37,28	38,36	39,57	-	-	-	-	-
3200	9,43	10,84	12,23	13,87	15,47	17,57	19,60	21,56	23,46	27,47	29,55	31,49	32,42	34,17	35,92	37,65	38,67	39,81	-	-	-	-	-
3300	9,62	11,06	12,48	14,16	15,79	17,92	19,98	21,97	23,90	27,95	30,01	31,95	32,86	34,58	36,30	37,95	38,92	-	-	-	-	-	-
3400	9,80	11,27	12,72	14,43	16,10	18,26	20,36	22,38	24,31	28,38	30,44	32,34	33,26	34,95	36,61	38,18	39,09	-	-	-	-	-	-
3500	9,98	11,48	12,96	14,69	16,39	18,59	20,72	22,75	24,71	28,78	30,84	32,73	33,62	35,26	36,85	38,34	-	-	-	-	-	-	-
3600	10,15	11,68	13,19	14,95	16,68	18,91	21,05	23,11	25,08	29,16	31,20	33,06	33,92	35,51	37,03	-	-	-	-	-	-	-	-
3700	10,31	11,87	13,41	15,20	16,95	19,21	21,38	23,46	25,43	29,50	31,51	33,34	34,18	35,71	37,15	-	-	-	-	-	-	-	-
3800	10,46	12,06	13,61	15,44	17,22	19,50	21,69	23,78	25,76	29,81	31,79	33,58	34,39	35,86	-	-	-	-	-	-	-	-	-
3900	10,62	12,24	13,82	15,66	17,47	19,77	21,98	24,08	26,06	30,09	32,03	33,77	34,55	35,94	-	-	-	-	-	-	-	-	-
4000	10,77	12,41	14,01	15,88	17,70	20,03	22,25	24,36	26,34	30,33	32,24	33,92	34,66	-	-	-	-	-	-	-	-	-	-
4100	11,03	12,72	14,37	16,29	18,14	20,51	22,75	24,86	26,83	30,71	32,52	34,06	-	-	-	-	-	-	-	-	-	-	-
4200	11,27	13,01	14,69	16,65	18,54	20,93	23,18	25,28	27,21	30,95	32,62	-	-	-	-	-	-	-	-	-	-	-	-
4300	11,49	13,26	14,98	16,97	18,88	21,28	23,53	25,60	27,49	31,04	-	-	-	-	-	-	-	-	-	-	-	-	-
4400	11,68	13,48	15,23	17,25	19,16	21,58	23,80	25,83	27,66	30,98	-	-	-	-	-	-	-	-	-	-	-	-	-
4500	11,83	13,67	15,44	17,47	19,40	21,80	23,99	25,97	27,71	-	-	-	-	-	-	-	-	-	-	-	-	-	-

V-BELTS - CW

Additional power based on drive ratio

WEDGE 5V (MC)

		Additional power [kW]									
rpm - faster shaft	Drive ratio	1.00	1.02	1.06	1.12	1.19	1.27	1.39	1.58	1.95	oltre
		1.01	1.05	1.11	1.18	1.26	1.38	1.57	1.94	3.38	3.39
100		0,00	0,01	0,01	0,03	0,04	0,04	0,05	0,06	0,06	0,07
200		0,00	0,01	0,03	0,05	0,07	0,09	0,10	0,11	0,13	0,13
300		0,00	0,01	0,04	0,08	0,10	0,13	0,15	0,17	0,18	0,19
400		0,00	0,02	0,06	0,10	0,14	0,17	0,20	0,23	0,24	0,26
500		0,00	0,03	0,07	0,13	0,18	0,21	0,25	0,28	0,31	0,32
600		0,00	0,03	0,09	0,15	0,21	0,26	0,30	0,34	0,37	0,39
700		0,00	0,04	0,10	0,18	0,24	0,30	0,35	0,40	0,43	0,46
800		0,00	0,04	0,12	0,21	0,28	0,34	0,40	0,45	0,49	0,52
900		0,00	0,05	0,13	0,24	0,32	0,38	0,45	0,51	0,55	0,58
1000		0,00	0,05	0,15	0,26	0,35	0,43	0,50	0,56	0,61	0,65
1100		0,00	0,06	0,16	0,29	0,39	0,47	0,55	0,62	0,68	0,71
1200		0,00	0,07	0,18	0,31	0,42	0,51	0,60	0,68	0,74	0,78
1300		0,00	0,07	0,19	0,34	0,46	0,55	0,65	0,73	0,79	0,85
1400		0,00	0,07	0,21	0,36	0,49	0,60	0,70	0,79	0,86	0,91
1500		0,00	0,08	0,22	0,39	0,53	0,64	0,75	0,85	0,92	0,97
1600		0,00	0,09	0,24	0,41	0,57	0,68	0,80	0,90	0,98	1,04
1700		0,00	0,10	0,25	0,44	0,60	0,73	0,85	0,96	1,04	1,10
1800		0,00	0,10	0,26	0,46	0,63	0,76	0,90	1,01	1,10	1,17
1900		0,00	0,10	0,28	0,49	0,67	0,81	0,95	1,07	1,16	1,24
2000		0,00	0,11	0,29	0,51	0,71	0,85	1,00	1,13	1,23	1,30
2100		0,00	0,12	0,31	0,54	0,74	0,90	1,05	1,18	1,29	1,36
2200		0,00	0,12	0,32	0,57	0,77	0,94	1,10	1,24	1,35	1,43
2300		0,00	0,13	0,34	0,60	0,81	0,98	1,15	1,29	1,41	1,49
2400		0,00	0,13	0,35	0,62	0,85	1,02	1,20	1,35	1,47	1,56
2500		0,00	0,14	0,37	0,65	0,88	1,07	1,25	1,40	1,53	1,63
2600		0,00	0,14	0,38	0,67	0,91	1,11	1,30	1,46	1,60	1,69
2700		0,00	0,15	0,40	0,70	0,95	1,15	1,35	1,51	1,65	1,75
2800		0,00	0,15	0,41	0,72	0,99	1,19	1,40	1,57	1,71	1,82
2900		0,00	0,15	0,43	0,75	1,02	1,24	1,45	1,63	1,78	1,88
3000		0,00	0,16	0,44	0,77	1,05	1,28	1,50	1,68	1,84	1,95
3100		0,00	0,17	0,46	0,80	1,09	1,32	1,55	1,74	1,90	2,01
3200		0,00	0,18	0,48	0,82	1,13	1,37	1,60	1,80	1,96	2,07
3300		0,00	0,18	0,49	0,85	1,16	1,40	1,65	1,85	2,02	2,14
3400		0,00	0,18	0,51	0,88	1,20	1,45	1,70	1,91	2,08	2,21
3500		0,00	0,19	0,52	0,90	1,23	1,49	1,75	1,97	2,15	2,27
3600		0,00	0,20	0,54	0,93	1,26	1,54	1,79	2,02	2,21	2,34
3700		0,00	0,20	0,55	0,96	1,30	1,58	1,85	2,08	2,27	2,40
3800		0,00	0,21	0,57	0,98	1,34	1,62	1,90	2,14	2,33	0,99
3900		0,00	0,21	0,58	1,01	1,37	1,66	1,95	2,19	2,39	2,53
4000		0,00	0,22	0,60	1,03	1,40	1,71	2,00	2,25	0,98	2,60
4200		0,00	0,23	0,63	1,08	1,48	1,79	2,10	2,36	2,57	2,73
4400		0,00	0,24	0,65	1,14	1,54	1,88	2,20	2,47	2,70	2,85
4600		0,00	0,25	0,68	1,19	1,62	1,96	2,29	2,59	2,82	2,99
4800		0,00	0,26	0,71	1,24	1,69	2,04	2,40	2,70	2,94	3,12
5000		0,00	0,27	0,74	1,29	1,76	2,13	2,50	2,81	3,07	3,24

Power rating

WEDGE 5V (E)

Rated power [kW]																							
rpm - faster shaft Pitch Ø [mm]	112	118	125	132	140	150	160	170	180	200	212	224	236	250	260	280	290	300	315	335	355	380	400
	100	0,36	0,42	0,48	0,55	0,62	0,71	0,81	0,90	1,00	1,21	1,32	1,44	1,50	1,61	1,74	1,88	1,96	2,08	2,24	2,40	2,57	2,79
200	0,63	0,74	0,85	0,99	1,13	1,31	1,49	1,67	1,85	2,25	2,47	2,69	2,80	3,02	3,27	3,52	3,70	3,91	4,21	4,52	4,85	5,28	5,70
300	0,86	1,03	1,20	1,40	1,60	1,86	2,13	2,39	2,65	3,24	3,55	3,88	4,04	4,35	4,70	5,08	5,33	5,65	6,08	6,52	7,02	7,63	8,24
400	1,07	1,29	1,51	1,77	2,04	2,38	2,72	3,07	3,40	4,17	4,59	5,01	5,21	5,63	6,08	6,57	6,91	7,31	7,88	8,44	9,08	9,88	10,66
500	1,26	1,54	1,81	2,13	2,45	2,88	3,29	3,72	4,14	5,07	5,58	6,10	6,35	6,86	7,41	8,02	8,41	8,91	9,60	10,29	11,07	12,03	12,99
600	1,45	1,77	2,09	2,47	2,85	3,35	3,85	4,35	4,84	5,94	6,55	7,15	7,45	8,05	8,70	9,41	9,88	10,46	11,27	12,07	12,98	14,10	15,21
700	1,62	1,99	2,35	2,79	3,23	3,81	4,38	4,96	5,52	6,79	7,48	8,17	8,52	9,20	9,94	10,75	11,29	11,95	12,87	13,78	14,81	16,08	17,33
800	1,78	2,19	2,61	3,10	3,60	4,25	4,90	5,54	6,18	7,60	8,39	9,16	9,55	10,32	11,15	12,05	12,65	13,39	14,41	15,43	16,57	17,97	19,35
900	1,93	2,39	2,85	3,40	3,95	4,68	5,40	6,11	6,82	8,40	9,27	10,12	10,55	11,39	12,31	13,30	13,96	14,77	15,89	17,00	18,25	19,77	21,25
1000	2,07	2,58	3,09	3,69	4,29	5,09	5,88	6,66	7,44	9,17	10,11	11,05	11,52	12,44	13,44	14,51	15,22	16,10	17,31	18,50	19,83	21,46	23,03
1100	2,20	2,76	3,31	3,97	4,63	5,49	6,35	7,20	8,05	9,91	10,94	11,94	12,44	13,44	14,51	15,67	16,43	17,37	18,66	19,92	21,33	23,04	24,69
1200	2,32	2,93	3,52	4,24	4,94	5,88	6,80	7,71	8,63	10,63	11,73	12,81	13,34	14,40	15,55	16,77	17,58	18,58	19,94	21,26	22,74	24,51	26,20
1300	2,44	3,08	3,73	4,49	5,24	6,25	7,24	8,21	9,19	11,33	12,49	13,64	14,21	15,33	16,54	17,83	18,68	19,72	21,14	22,52	24,04	25,86	27,58
1400	2,54	3,24	3,92	4,74	5,54	6,60	7,66	8,70	9,73	11,99	13,23	14,44	15,03	16,21	17,48	18,83	19,71	20,79	22,26	23,68	25,23	27,08	28,80
1500	2,65	3,38	4,10	4,97	5,82	6,96	8,07	9,17	10,25	12,64	13,93	15,20	15,82	17,05	18,37	19,77	20,68	21,80	23,30	24,75	26,32	28,16	29,85
1600	2,74	3,52	4,28	5,19	6,10	7,29	8,46	9,62	10,75	13,25	14,61	15,92	16,57	17,85	19,21	20,65	21,59	22,72	24,25	25,71	27,28	29,10	30,74
1700	2,83	3,64	4,45	5,41	6,35	7,60	8,83	10,05	11,24	13,84	15,24	16,61	17,28	18,60	20,00	21,47	22,42	23,58	25,12	26,58	28,12	29,89	31,44
1800	2,90	3,76	4,61	5,61	6,60	7,91	9,19	10,46	11,70	14,40	15,85	17,26	17,95	19,30	20,73	22,23	23,19	24,35	25,89	27,33	28,84	30,51	31,95
1900	2,98	3,88	4,76	5,80	6,84	8,20	9,54	10,85	12,13	14,93	16,42	17,87	18,58	19,95	21,40	22,92	23,88	25,04	26,56	27,96	29,41	30,98	32,26
2000	3,04	3,98	4,90	5,99	7,07	8,48	9,87	11,22	12,55	15,43	16,96	18,44	19,16	20,55	22,02	23,53	24,50	25,64	27,12	28,47	29,84	31,27	32,36
2100	3,10	4,07	5,03	6,16	7,28	8,74	10,18	11,58	12,94	15,90	17,46	18,96	19,69	21,09	22,57	24,08	25,03	26,14	27,58	28,86	30,12	31,37	32,25
2200	3,15	4,16	5,15	6,32	7,48	8,99	10,47	11,91	13,32	16,33	17,92	19,44	20,17	21,58	23,05	24,54	25,47	26,56	27,93	29,12	30,25	31,28	31,89
2100	3,19	4,24	5,26	6,47	7,67	9,22	10,74	12,22	13,66	16,74	18,34	19,87	20,61	22,02	23,47	24,93	25,83	26,87	28,16	29,24	30,21	31,00	31,31
2400	3,23	4,30	5,36	6,61	7,84	9,44	11,00	12,52	13,98	17,11	18,72	20,26	21,00	22,39	23,82	25,24	26,10	27,08	28,26	29,22	30,00	30,51	30,47
2500	3,26	4,36	5,46	6,74	8,00	9,65	11,24	12,78	14,27	17,44	19,06	20,59	21,32	22,70	24,09	25,46	26,28	27,18	28,25	29,04	29,62	29,81	-
2600	3,27	4,41	5,54	6,85	8,15	9,83	11,46	13,03	14,55	0,74	19,36	20,88	21,60	22,95	24,30	25,59	26,35	27,17	27,17	28,72	29,06	-	-
2700	3,29	4,46	5,61	6,96	8,29	10,00	11,66	13,25	14,79	17,99	19,61	21,11	21,82	23,13	24,42	25,64	26,33	27,06	27,81	28,23	28,30	-	-
2800	3,29	4,49	5,67	7,05	8,41	10,16	11,84	13,45	15,00	18,21	19,81	21,29	21,97	23,24	24,47	25,58	26,19	26,81	27,38	27,58	-	-	-
2900	3,29	4,52	5,72	7,13	8,51	10,29	11,99	13,63	15,19	18,39	19,97	21,41	22,08	23,28	24,42	25,43	25,96	26,45	26,81	26,77	-	-	-
3000	3,27	4,53	5,76	7,20	8,60	10,41	12,13	13,78	15,34	18,52	20,08	21,47	22,11	23,25	24,30	25,18	25,61	25,96	26,08	-	-	-	-
3100	3,25	4,54	5,79	7,26	8,68	10,51	12,25	13,91	15,47	18,62	20,14	21,48	22,08	23,15	24,09	24,83	25,14	25,34	-	-	-	-	-
3200	3,22	4,53	5,81	7,30	8,74	10,59	12,34	14,00	15,56	18,67	20,14	21,43	22,00	22,97	23,79	24,37	24,56	24,58	-	-	-	-	-
3300	3,18	4,52	5,82	7,32	8,79	10,65	12,41	14,08	15,62	18,68	20,10	21,31	21,83	22,71	23,39	23,80	23,86	-	-	-	-	-	-
3400	3,14	4,49	5,81	7,34	8,82	10,69	12,47	14,12	15,65	18,64	20,00	21,13	21,60	22,36	23,17	23,12	23,03	-	-	-	-	-	-
3500	3,08	4,46	5,79	7,34	8,83	10,71	12,49	14,13	15,65	18,55	19,84	20,88	21,30	21,94	22,32	22,32	-	-	-	-	-	-	-
3600	3,02	4,41	5,77	7,32	8,82	10,72	12,49	14,12	15,61	18,43	19,63	20,56	20,92	21,43	21,63	-	-	-	-	-	-	-	-
3700	2,94	4,35	5,72	7,30	8,81	10,70	12,47	14,08	15,54	18,24	19,35	20,17	20,47	20,83	20,84	-	-	-	-	-	-	-	-
3800	2,86	4,29	5,67	7,26	8,77	10,66	12,41	14,00	15,44	18,00	19,02	19,72	19,94	20,14	-	-	-	-	-	-	-	-	-
3900	2,77	4,21	5,60	7,20	8,71	10,60	12,34	13,90	15,29	17,72	18,62	19,19	19,34	19,36	-	-	-	-	-	-	-	-	-
4000	2,67	4,12	5,52	7,13	8,64	10,52	12,24	13,77	15,11	17,38	18,16	18,58	18,65	-	-	-	-	-	-	-	-	-	-
4200	2,43	3,91	5,32	6,93	8,44	10,30	11,95	13,40	14,63	16,54	17,05	-	-	-	-	-	-	-	-	-	-	-	-
4400	2,15	3,65	5,07	6,67	8,16	9,96	11,55	12,89	13,99	15,47	15,67	-	-	-	-	-	-	-	-	-	-	-	-
4600	1,84	3,34	4,76	6,35	7,81	9,55	11,03	12,25	13,17	14,18	-	-	-	-	-	-	-	-	-	-	-	-	-
4800	1,48	2,98	4,39	5,95	7,37	9,02	10,39	11,46	12,21	12,63	-	-	-	-	-	-	-	-	-	-	-	-	-
5000	1,07	2,57	3,96	5,48	6,85	8,40	9,63	10,52	11,05	-	-	-	-	-	-	-	-	-	-	-	-	-	-

V-BELTS - CW

Additional power based on drive ratio

WEDGE 5V (E)

		Additional power [kW]									
rpm - faster shaft	Drive ratio	1.00	1.02	1.06	1.12	1.19	1.27	1.39	1.58	1.95	oltre
		1.01	1.05	1.11	1.18	1.26	1.38	1.57	1.94	3.38	3.39
100		0,00	0,01	0,02	0,04	0,04	0,06	0,07	0,07	0,08	0,08
200		0,00	0,01	0,04	0,07	0,09	0,11	0,13	0,15	0,16	0,17
300		0,00	0,02	0,06	0,10	0,14	0,17	0,20	0,22	0,24	0,25
400		0,00	0,03	0,07	0,13	0,18	0,22	0,26	0,29	0,32	0,34
500		0,00	0,04	0,10	0,17	0,23	0,28	0,32	0,37	0,40	0,42
600		0,00	0,04	0,12	0,20	0,27	0,33	0,39	0,44	0,48	0,51
700		0,00	0,05	0,13	0,24	0,32	0,39	0,46	0,51	0,56	0,59
800		0,00	0,06	0,15	0,27	0,37	0,44	0,52	0,59	0,64	0,68
900		0,00	0,07	0,18	0,30	0,41	0,50	0,59	0,66	0,72	0,76
1000		0,00	0,07	0,19	0,34	0,46	0,55	0,65	0,73	0,79	0,85
1100		0,00	0,08	0,21	0,37	0,50	0,61	0,71	0,80	0,88	0,93
1200		0,00	0,09	0,23	0,40	0,55	0,67	0,78	0,88	0,96	1,01
1300		0,00	0,10	0,25	0,43	0,60	0,72	0,85	0,95	1,04	1,10
1400		0,00	0,10	0,27	0,47	0,64	0,78	0,91	1,02	1,12	1,18
1500		0,00	0,10	0,29	0,51	0,68	0,83	0,98	1,10	1,20	1,26
1600		0,00	0,11	0,31	0,54	0,74	0,89	1,04	1,17	1,27	1,35
1700		0,00	0,12	0,33	0,57	0,78	0,94	1,10	1,24	1,35	1,43
1800		0,00	0,13	0,35	0,60	0,82	1,00	1,17	1,32	1,43	1,52
1900		0,00	0,13	0,37	0,64	0,87	1,05	1,24	1,39	1,51	1,60
2000		0,00	0,14	0,38	0,67	0,91	1,11	1,30	1,46	1,60	1,69
2100		0,00	0,15	0,40	0,71	0,96	1,17	1,37	1,54	1,68	1,77
2200		0,00	0,15	0,43	0,74	1,01	1,22	1,43	1,61	1,75	1,86
2300		0,00	0,16	0,44	0,77	1,05	1,28	1,49	1,68	1,83	1,94
2400		0,00	0,17	0,46	0,81	1,10	1,33	1,56	1,76	1,91	2,03
2500		0,00	0,18	0,49	0,84	1,15	1,39	1,63	1,83	1,70	2,11
2600		0,00	0,18	0,50	0,88	1,19	1,44	1,69	1,90	2,07	2,20
2700		0,00	0,19	0,52	0,90	1,24	1,50	1,76	1,98	2,15	2,28
2800		0,00	0,20	0,54	0,94	1,28	1,55	1,82	2,05	2,23	2,37
2900		0,00	0,21	0,56	0,98	1,32	1,61	1,88	2,12	2,31	2,45
3000		0,00	0,21	0,58	1,01	1,38	1,66	1,95	2,19	2,39	2,54
3100		0,00	0,22	0,60	1,04	1,42	1,72	2,01	2,27	2,47	2,62
3200		0,00	0,23	0,62	1,07	1,46	1,78	2,08	2,34	2,55	2,71
3300		0,00	0,24	0,64	1,11	1,51	1,83	2,15	2,41	1,16	2,79
3400		0,00	0,24	0,65	1,14	1,56	1,89	2,21	2,49	1,24	2,88
3500		0,00	0,25	0,68	1,18	1,60	1,94	2,27	2,56	2,79	2,96
3600		0,00	0,26	0,69	1,21	1,65	2,00	2,34	2,63	2,87	3,04
3700		0,00	0,26	0,71	1,24	1,69	2,05	2,40	2,71	2,95	3,13
3800		0,00	0,27	0,74	1,28	1,74	2,11	2,47	1,31	3,03	3,21
3900		0,00	0,28	0,75	1,31	1,79	2,16	2,54	2,85	3,11	3,29
4000		0,00	0,29	0,77	1,35	1,83	2,22	2,60	1,46	3,19	3,38
4200		0,00	0,29	0,81	1,41	1,92	2,33	2,73	3,07	3,35	3,54
4400		0,00	0,31	0,85	1,48	2,01	2,44	2,86	3,22	3,51	3,71
4600		0,00	0,32	0,89	1,54	2,10	1,08	2,99	3,37	3,67	3,88
4800		0,00	0,34	0,93	1,61	2,20	2,66	3,12	3,51	3,82	4,05
5000		0,00	0,35	0,82	2,04	2,29	2,77	3,29	3,65	3,99	4,22

Power rating

WEDGE 8V (E)

Rated power [kW]												
rpm - faster shaft Pitch Ø [mm]	315	335	355	380	400	430	450	480	500	540	560	630
50	2,21	2,43	2,68	2,99	3,29	3,59	3,90	4,19	4,49	4,85	5,21	5,93
100	4,11	4,52	4,99	5,58	6,16	6,74	7,32	7,90	8,47	9,16	9,84	11,20
150	5,88	6,49	7,18	8,03	8,88	9,73	10,57	11,41	12,24	13,24	14,24	16,22
200	7,57	8,36	9,26	10,38	11,49	12,59	13,69	14,78	15,87	17,17	18,47	21,03
250	9,20	10,17	11,27	12,64	14,00	15,36	16,70	18,04	19,38	20,97	22,55	25,68
300	10,77	11,91	13,22	14,83	16,44	18,04	19,63	21,20	22,78	24,64	26,50	30,17
350	12,30	13,61	15,11	16,97	18,81	20,64	22,47	24,28	26,07	28,20	30,32	34,50
400	13,77	15,26	16,94	19,04	21,12	23,18	25,22	27,25	29,26	31,65	34,02	38,68
450	15,22	16,86	18,73	21,05	23,36	25,64	27,89	30,14	32,36	34,99	37,59	42,70
500	16,61	18,42	20,47	23,02	25,53	28,03	30,49	32,93	35,34	38,21	41,03	46,56
550	17,97	19,94	22,16	24,92	27,64	30,34	33,00	35,64	38,23	41,31	44,33	50,23
600	19,29	21,41	23,80	26,77	29,70	32,58	35,43	38,24	41,01	44,29	47,49	53,72
650	20,57	22,83	25,39	28,56	31,67	34,75	37,77	40,75	43,68	47,13	50,50	57,02
700	21,81	24,22	26,94	30,29	33,59	36,84	40,03	43,16	46,23	49,84	53,36	60,11
750	23,01	25,56	28,43	31,96	35,43	38,84	42,18	45,46	48,66	52,41	56,05	62,99
800	24,18	26,85	29,87	33,58	37,21	40,76	44,25	47,65	50,96	54,83	58,57	65,64
850	25,30	28,10	31,25	35,12	38,91	42,61	46,21	49,72	53,14	57,10	60,91	68,06
900	26,38	29,31	32,59	36,61	40,54	44,36	48,07	51,68	55,17	59,21	63,07	70,23
950	27,42	30,46	33,87	38,03	42,08	46,01	49,82	53,52	57,07	61,15	65,03	72,14
1000	28,42	31,56	35,09	39,38	43,54	47,58	51,47	55,21	58,81	62,92	66,79	73,78
1050	29,37	32,62	36,25	40,66	44,93	49,04	53,00	56,79	60,41	64,50	68,33	75,14
1100	30,28	33,62	37,35	41,87	46,23	50,40	54,40	58,22	61,83	65,91	69,66	76,19
1150	31,14	34,57	38,40	43,01	47,43	51,66	55,69	59,51	63,10	67,11	70,76	76,95
1200	31,96	35,47	39,37	44,07	48,54	52,82	56,85	60,65	64,19	68,11	71,62	77,39
1250	32,73	36,31	40,28	45,04	49,57	53,85	57,88	61,63	65,11	68,90	72,24	77,50
1300	33,44	37,09	41,12	45,93	50,49	54,77	58,77	62,46	65,85	69,47	72,60	77,26
1350	34,11	37,81	41,90	46,75	51,31	55,57	59,52	63,13	66,38	69,82	72,69	76,67
1400	34,72	38,48	42,59	47,47	52,03	56,25	60,12	63,62	66,74	69,93	72,52	75,72
1450	35,28	39,08	43,23	48,11	52,64	56,80	60,57	63,94	66,88	69,80	72,05	74,38
1500	35,78	39,62	43,78	48,65	53,14	57,22	60,88	64,08	66,81	69,44	71,30	72,65
1550	36,23	40,09	44,26	49,10	53,53	57,51	61,02	64,04	66,53	68,81	70,26	70,52
1600	36,62	40,48	44,65	49,46	53,80	57,66	61,00	63,80	66,03	67,91	68,90	-
1650	36,95	40,82	44,96	49,71	53,96	57,66	60,81	63,37	65,30	66,76	67,22	-
1700	37,23	41,09	45,20	49,87	53,99	57,52	60,45	62,73	64,33	65,32	65,22	-
1750	37,44	41,28	45,34	49,92	53,89	57,24	59,91	61,89	63,13	63,59	-	-
1800	37,59	41,40	45,40	49,86	53,67	56,79	59,19	60,83	61,68	61,58	-	-
1850	37,67	41,44	45,37	49,69	53,32	56,19	58,29	59,56	59,97	-	-	-
1900	37,68	41,40	45,25	49,41	52,82	55,43	57,19	58,07	58,00	-	-	-
1950	37,63	41,29	45,03	49,02	52,19	54,51	55,91	56,34	-	-	-	-
2000	37,51	41,09	44,72	48,51	51,43	53,40	54,41	54,38	-	-	-	-
2100	37,05	40,45	43,80	47,12	49,44	50,69	50,81	-	-	-	-	-
2200	36,30	39,47	42,47	45,24	46,86	47,25	-	-	-	-	-	-
2300	35,24	38,12	40,71	42,83	43,64	-	-	-	-	-	-	-
2400	33,87	36,40	38,51	39,88	39,76	-	-	-	-	-	-	-
2500	32,16	34,30	35,85	36,37	-	-	-	-	-	-	-	-
2600	30,11	31,79	32,71	-	-	-	-	-	-	-	-	-
2700	27,70	28,86	29,07	-	-	-	-	-	-	-	-	-
2800	24,94	25,51	-	-	-	-	-	-	-	-	-	-

V-BELTS - CW

Additional power based on drive ratio

WEDGE 8V (E)

		Additional power [kW]									
rpm - faster shaft	Drive ratio	1.00	1.02	1.06	1.12	1.19	1.27	1.39	1.58	1.95	oltre
		1.01	1.05	1.11	1.18	1.26	1.38	1.57	1.94	3.38	3.39
50		0,00	0,01	0,04	0,08	0,11	0,13	0,16	0,18	0,19	0,21
100		0,00	0,04	0,10	0,16	0,22	0,27	0,32	0,35	0,39	0,41
150		0,00	0,05	0,14	0,24	0,33	0,40	0,48	0,54	0,58	0,62
200		0,00	0,07	0,19	0,33	0,45	0,54	0,63	0,71	0,78	0,82
250		0,00	0,09	0,24	0,41	0,56	0,68	0,79	0,89	0,97	1,03
300		0,00	0,10	0,28	0,49	0,67	0,81	0,95	1,07	1,16	1,24
350		0,00	0,12	0,33	0,57	0,78	0,95	1,11	1,25	1,36	1,44
400		0,00	0,14	0,38	0,65	0,89	1,08	1,26	1,43	1,55	1,65
450		0,00	0,15	0,43	0,74	1,00	1,22	1,43	1,60	1,75	1,85
500		0,00	0,17	0,47	0,82	1,12	1,35	1,58	1,78	1,94	2,06
550		0,00	0,19	0,51	0,90	1,23	1,49	1,74	1,96	2,13	2,27
600		0,00	0,21	0,57	0,99	1,34	1,63	1,90	2,14	2,33	2,47
650		0,00	0,23	0,61	1,07	1,45	1,76	2,06	2,32	2,52	2,68
700		0,00	0,24	0,65	1,15	1,56	1,89	2,21	2,49	2,72	2,88
750		0,00	0,26	0,71	1,23	1,67	2,03	2,38	2,67	2,91	3,09
800		0,00	0,28	0,75	1,31	1,79	2,16	2,53	2,85	3,10	3,29
850		0,00	0,29	0,80	1,39	1,90	2,30	2,69	3,03	3,30	3,50
900		0,00	0,31	0,85	1,47	2,01	2,43	2,85	3,21	3,49	3,71
950		0,00	0,33	0,89	1,55	2,12	2,54	3,01	3,38	3,69	3,91
1000		0,00	0,35	0,94	1,64	2,23	2,71	3,16	3,57	3,88	4,12
1050		0,00	0,36	0,99	1,72	2,34	2,84	3,32	3,74	4,07	4,32
1100		0,00	0,38	1,04	1,80	2,45	2,98	3,48	3,92	4,27	4,53
1150		0,00	0,40	1,08	1,88	2,57	3,11	3,64	4,10	4,46	4,74
1200		0,00	0,41	1,13	1,96	2,68	3,24	3,80	4,28	4,66	4,93
1250		0,00	0,43	1,18	2,04	2,79	3,38	3,96	4,46	4,85	5,14
1300		0,00	0,45	1,22	2,13	2,90	3,52	4,12	4,63	5,04	5,35
1350		0,00	0,46	1,27	2,21	3,01	3,65	4,27	4,81	5,24	5,55
1400		0,00	0,49	1,32	2,29	3,12	3,79	4,43	4,99	5,43	5,76
1450		0,00	0,50	1,36	2,38	3,24	3,92	4,59	5,17	5,63	5,96
1500		0,00	0,51	1,41	2,46	3,35	4,06	4,75	5,35	5,82	6,17
1550		0,00	0,54	1,46	2,54	3,46	4,19	4,91	5,52	6,02	6,38
1600		0,00	0,55	1,51	2,62	3,57	4,32	5,07	5,70	6,21	6,58
1650		0,00	0,57	1,55	2,70	3,68	4,46	5,22	5,88	6,41	6,79
1700		0,00	0,59	1,60	2,78	3,79	4,60	5,38	6,06	6,60	6,99
1750		0,00	0,60	1,65	2,87	3,90	4,74	5,54	6,24	6,80	7,20
1800		0,00	0,62	1,69	2,95	4,02	4,87	5,70	6,41	6,99	7,41
1850		0,00	0,64	1,74	3,03	4,13	5,00	5,85	6,60	7,18	7,61
1900		0,00	0,65	1,79	3,11	4,24	5,14	6,02	6,77	7,37	7,82
1950		0,00	0,68	1,83	3,19	4,35	5,27	6,17	6,95	7,57	8,02
2000		0,00	0,69	1,88	3,27	4,46	5,41	6,33	7,13	7,77	8,23
2100		0,00	0,73	1,97	3,43	4,68	5,68	6,65	7,49	8,16	8,64
2200		0,00	0,76	2,07	3,60	4,91	5,95	6,96	7,84	8,55	9,05
2300		0,00	0,79	2,16	3,77	5,13	6,22	7,28	8,20	8,94	9,46
2400		0,00	0,83	2,26	3,93	5,35	6,49	7,60	8,55	9,32	9,88
2500		0,00	0,86	2,35	4,10	5,57	6,76	7,91	8,91	9,71	10,29
2600		0,00	0,90	2,44	4,26	5,79	7,03	8,23	9,27	10,10	10,70
2700		0,00	0,93	2,54	4,42	6,02	7,30	8,55	9,62	10,49	11,11
2800		0,00	0,96	2,63	4,58	6,24	7,57	8,86	9,98	10,88	11,52